

10/003,369

10420/3169

Response to Office Action mailed July 15, 2004

Response transmitted September 9, 2004

**In the Claims:**

This listing of claims replaces all prior versions and listings of claims in the application.

1. (Previously presented) A method of conducting check-in for transportation for a passenger having a radio-frequency identification card, the method comprising:

- making a reservation for the passenger;
- recording information concerning the reservation;
- retrieving information concerning the reservation for passenger check-in;
- automatically detecting arrival of the passenger at a location via the RF identification card;
- comparing the passenger with reservation information;
- automatically checking in the passenger, wherein the radio-frequency identification card uniquely identifies the passenger and a detector detects arrival of the passenger; and
- printing a confirmation of the check-in.

2. (Previously presented) The method of Claim 1, wherein the location is selected from the group consisting of a check-in area and a gate.

3. (Previously presented) The method of Claim 1, wherein information printed is selected from the group consisting of passenger name, trip origin, destination, ticket number, one or more identification numbers, trip number, gate, seat assignment, and class of service.

4. (Original) The method of Claim 1, further comprising walking through or near a radio-frequency detector.

5. (Original) The method of Claim 1, further comprising signaling that the passenger has automatically checked in.

107003,369

10420/3169

Response to Office Action mailed July 15, 2004

Response transmitted September 9, 2004

6. (Original) The method of Claim 1, wherein the reservation is selected from the group consisting of an aircraft flight, a ship cruise, a railway journey, and a locomotive trip.

7. (Original) The method of Claim 3, wherein the trip number is selected from the group consisting of a flight number, a train number, a cruise number, and a locomotive trip.

8. (Original) The method of Claim 1, wherein a radio frequency detector detects an RF identification card by emitting an RF signal and detecting a return signal in accordance with an identity of the owner of the identification card.

9. (Original) The method of Claim 1 further comprising matching the passenger with baggage of the passenger and detecting whether a passenger with baggage has checked in.

10. (Currently amended) A method for checking in a passenger having an RF identification card, the method comprising:

- making a reservation for an airplane flight for the passenger;
- recording information concerning the reservation onto a passenger list;
- retrieving information concerning the passenger list at an airline gate;
- detecting the passenger having an RF identification card walking through or near a long range RF identification card detector;
- comparing an identifier of the RF identification card with the passenger list;
- automatically checking in the passenger; and
- signaling that the passenger has automatically checked in ; and
- allowing the passenger to pass through a controlled passage.

10/003,369

10420/3169

Response to Office Action mailed July 15, 2004

Response transmitted September 9, 2004

11. (Original) The method of Claim 10, wherein the step of signaling is selected from the group consisting of emitting a sound, opening a gate, flashing a light, printing a pass, and displaying a message.

12. (Original) The method of Claim 10, further comprising checking baggage of the passenger, and linking information relating to said baggage with said information concerning the reservation.

13. (Original) A radio frequency check-in system, comprising:  
a radio-frequency-enabled identification card for a passenger;  
a detector for the radio-frequency identification card;  
processing means in communication with the detector;  
a passenger list, stored in a memory accessible to the processing means; and  
a first passage controlled by the processing means,  
wherein the processing means allows passage of the passenger holding the radio-frequency identification card when the detector detects the card and the processing means matches the passenger with a person on the passenger list.

14. (Original) The system of Claim 13, wherein the detector detects the radio-frequency identification card and communicates an identifier of the passenger to the processing means, the processing means compares the identifier to the passenger list, and allows passage if the passenger is on the passenger list.

15. (Original) The system of Claim 13, wherein the detector is a long-range reader of radio frequency identification cards.

16. (Original) The system of Claim 13, wherein the detector detects an RF identification card by emitting an RF signal and detecting a return signal in accordance with an identity of the owner of the identification card.

10/003,369

10420/3169

Response to Office Action mailed July 15, 2004

Response transmitted September 9, 2004

17. (Original) The system of Claim 13, wherein the first passage is selected from the group consisting of a manned checkpoint, a gate, a door, and a barrier.

18. (Original) The system of Claim 13, further comprising a second passage controlled by the computer, wherein a passenger automatically checking in may proceed through the first passage or the second passage.

19. (Original) The system of Claim 13, further comprising means for signaling whether the passenger has automatically checked in.

20. (Original) The system of Claim 13, wherein the means for signaling is selected from the group consisting of a sound, a light, a message board, a printer, and a gate.

21. (Original) A radio frequency check-in system, comprising:  
a radio frequency identification card for an airline passenger;  
a long-range reader capable of detecting said identification card;  
processing means linked to the reader;  
a passenger list, stored in a memory accessible to the processing means;  
a passage controlled by the computer means; and  
means for signaling that the passenger has checked in,  
wherein the reader detects the identification card and communicates an identifier of the passenger to the computer means, the processing means compares the identifier to the passenger list, and allows passage if the passenger is on the passenger list and the means for signaling signals that the passenger has checked in.

22. (Original) The system of Claim 21, wherein the passage is selected from the group consisting of a manned checkpoint, a gate, a door, and a barrier.

10/003,369

10420/3169

Response to Office Action mailed July 15, 2004  
Response transmitted September 9, 2004

23. (Original) The system of Claim 21, wherein the means for signaling is selected from the group consisting of a sound, a light, a message board, a printer, and a gate.